MA613

# 03- Step Rolling Ladders, Platform Height 28"



Reg. 375.00$

**PRODUCT DESCRIPTION**

3-step rolling ladders

ITEM#MA613

No. of Steps: 3
Platform Height: 28"
Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Certification(s): CSA certified to the ANSI standard a14.7
Base Depth: 30"
Base Width: 24"
Top Step Depth: 16"
Top Step Width: 22"
Step Size: 22" W x 8" D
Weight: 42 lbs.
Top Step Size: 22" W x 16" D
Capacity: 300 lbs.
Colour: Blue

Ideal wherever there is a need to reach bulky materials
Rolls easily into position and locks firmly to the floor for maximum safety
2 to 6 step ladders operate on spring-loaded casters
Casters retract under operator's weight, rubber feet drop down

First step on all 8 to 16 step ladders activates the floor locking mechanism (step offand kick release to make the ladder mobile)
Non-clogging slip-resistant steel steps
Frame is rugged welded 1" round steel tubing
8 to 16 step ladders shipped knocked down, easily assembled
Capacity: 300 lbs.
Durable Kleton blue enamel finish
CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms.

**Categories:** 2 - 3 steps, Ladder on wheels

---

## PRODUCT DESCRIPTION

3-step rolling ladders

ITEM#MA613

No. of Steps: 3
Platform Height: 28"
Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Certification(s): CSA certified to the ANSI standard a14.7
Base Depth: 30"
Base Width: 24"
Top Step Depth: 16"
Top Step Width: 22"
Step Size: 22" W x 8" D
Weight: 42 lbs.

Top Step Size: 22" W x 16" D
Capacity: 300 lbs.
Colour: Blue

Ideal wherever there is a need to reach bulky materials
Rolls easily into position and locks firmly to the floor for maximum safety
2 to 6 step ladders operate on spring-loaded casters
Casters retract under operator's weight, rubber feet drop down
First step on all 8 to 16 step ladders activates the floor locking mechanism (step offand kick release to make the ladder mobile)
Non-clogging slip-resistant steel steps
Frame is rugged welded 1" round steel tubing
8 to 16 step ladders shipped knocked down, easily assembled
Capacity: 300 lbs.
Durable Kleton blue enamel finish
CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms.