

MH279

04- Step Rolling Ladders, Platform Height 37"

Reg. 460.00\$

PRODUCT DESCRIPTION

4-step rolling ladders

ITEM#MH279

No. of Steps: 4

Platform Height: 37"

Platform Depth: 16"

Step Width: 22"

Frame Material: Steel

Step Type: Perforated

Platform Width: 22"

Base Depth: 37"

Base Width: 24"

Weight: 52 lbs.

Capacity: 300 lbs.

Without Handrails

Ideal wherever there is a need to reach bulky materials
Rolls easily into position and locks firmly to the floor for
maximum safety

2 to 6 step ladders operate on spring-loaded casters

Casters retract under operator's weight, rubber feet drop
down

First step on all 8 to 16 step ladders activates the floor
locking mechanism (step off and kick release to make the
ladder mobile)

Non-clogging slip-resistant steel steps



Frame is rugged welded 1" round steel tubing
8 to 16 step ladders shipped knocked down, easily assembled
Durable Kleton blue enamel finish
CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms

Categories: [4 - 5 steps](#), [Ladder on wheels](#)

PRODUCT DESCRIPTION

4-step rolling ladders

ITEM#MH279

No. of Steps: 4

Platform Height: 37"

Platform Depth: 16"

Step Width: 22"

Frame Material: Steel

Step Type: Perforated

Platform Width: 22"

Base Depth: 37"

Base Width: 24"

Weight: 52 lbs.

Capacity: 300 lbs.

Without Handrails

Ideal wherever there is a need to reach bulky materials

Rolls easily into position and locks firmly to the floor for maximum safety

2 to 6 step ladders operate on spring-loaded casters

Casters retract under operator's weight, rubber feet drop down

First step on all 8 to 16 step ladders activates the floor locking mechanism (step off and kick release to make the ladder

mobile)

Non-clogging slip-resistant steel steps

Frame is rugged welded 1" round steel tubing

8 to 16 step ladders shipped knocked down, easily assembled

Durable Kleton blue enamel finish

CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms