

MA625

---

## 14- Step Rolling Ladders, Platform Height 128"

---

Reg. 1,695.00\$

### PRODUCT DESCRIPTION

14-step rolling lad

ITEM#MA625

No. of Steps: 14

Platform Height: 128"

Platform Depth: 16"

Step Width: 30"

Frame Material: Steel

Step Type: Perforated

Weight: 275 lbs.

Platform Width: 30"

Capacity: 300 lbs.

Features handrails

Ideal wherever there is a need to reach bulky materials

Rolls easily into position and locks firmly to the floor for maximum safety

Casters retract under operator's weight, rubber feet drop down

First step activates the floor locking mechanism (step off and kick release to make the ladder mobile)

Non-clogging slip-resistant steel steps

Frame is rugged welded 1" round steel tubing

Durable Kleton blue enamel finish

Note: Ladder is not to be used as a work platform

Overall height: 167"



Base Depth: 93"

Base Width: 38"

Certification: CSA certified to the ANSI standard a14.7

**Category:** [Ladder on wheels](#)

---

## PRODUCT DESCRIPTION

14-step rolling lad

ITEM#MA625

No. of Steps: 14

Platform Height: 128"

Platform Depth: 16"

Step Width: 30"

Frame Material: Steel

Step Type: Perforated

Weight: 275 lbs.

Platform Width: 30"

Capacity: 300 lbs.

Features handrails

Ideal wherever there is a need to reach bulky materials

Rolls easily into position and locks firmly to the floor for maximum safety

Casters retract under operator's weight, rubber feet drop down

First step activates the floor locking mechanism (step off and kick release to make the ladder mobile)

Non-clogging slip-resistant steel steps

Frame is rugged welded 1" round steel tubing

Durable Kleton blue enamel finish

Note: Ladder is not to be used as a work platform

For more information contact us by phone at 450 642-1118 or by email at [info@laflammeindustriels.com](mailto:info@laflammeindustriels.com).

Overall height: 167"

Base Depth: 93"

Base Width: 38"

Certification: CSA certified to the ANSI standard a14.7