

SAQ021

30 gal. - Flammable Storage Cabinets

Reg. 2,495.00\$

PRODUCT DESCRIPTION

Door Type Width: 43" Depth: 18" Height: 44"

No. Of Doors: 2 No. Of Shelves: 1

Standard(s) Met: FM/NFPA/OSHA

Material: Steel Colour: Yellow Weight: 198 lbs.

- Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets
- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- For added security, U-Loc [™] handle comes with a cylinder lock and key set or accepts an optional padlock
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight





- Patented SpillSlope[®] galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump and they adjust on 3" centers for versatile storage
- Cabinets also feature dual vents with flame arresters, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Self-close door shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions
- Unique, concealed self-closing mechanism offers obstruction-free access to contents

Category: Flammable Storage Cabinet

PRODUCT DESCRIPTION

Door Type Width: 43" Depth: 18" Height: 44" No. Of Doors: 2

No. Of Shelves: 1

Standard(s) Met: FM/NFPA/OSHA

Material: Steel Colour: Yellow Weight: 198 lbs.

> Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in codecompliant safety cabinets

> > For more information contact us by phone at 450 642-1118 or by email at info@laflammeindustriels.com.



- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- For added security, U-Loc [™] handle comes with a cylinder lock and key set or accepts an optional padlock
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight
- Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump and they adjust on 3" centers for versatile storage
- Cabinets also feature dual vents with flame arresters, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Self-close door shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions
- Unique, concealed self-closing mechanism offers obstruction-free access to contents