SEG862

02 gal.- Mini Flammable Safety Cabinet



Reg. Prix sur demande

PRODUCT DESCRIPTION

Door Type: Manual
Capacity: 2 Gal.
Width: 17"
Depth: 8"
Height: 22"
No. Of Doors: 1
No. Of Shelves: 1
Standard(s) Met: NFPA/OSHA
Material: Steel
Colour: Yellow
Weight: 23 lbs.

- Mini Safety Cabinets offer the smallest footprint for easy mobility on service vehicles, carts and maintenance trikes;
- Includes 3 bungee cords to keep contents in place during movement;
- Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets;
- High-performance, manual-close, self-latching doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut;
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every

time;
- For added security, U-Loc ™ handle comes with a cylinder lock and key set or accepts an optional padlock;
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight;
- Shelve adjust on 3" (76-mm) centers for versatile storage;
- Cabinets also feature a leakproof 2" bottom sump, four adjustable self-leveling feet, grounding connector and trilingual warning label;
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

Category: Flammable Storage Cabinet

PRODUCT DESCRIPTION

Door Type: Manual
Capacity: 2 Gal.
Width: 17"
Depth: 8"
Height: 22"
No. Of Doors: 1
No. Of Shelves: 1
Standard(s) Met: NFPA/OSHA
Material: Steel
Colour: Yellow
Weight: 23 lbs.

- Mini Safety Cabinets offer the smallest footprint for easy mobility on service vehicles, carts and maintenance

trikes;
- Includes 3 bungee cords to keep contents in place during movement;
- Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets;
- High-performance, manual-close, self-latching doors open to a full 180 degrees and close easily and securely for maximum protection under fire conditions when pushed shut;
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time;
- For added security, U-Loc ™ handle comes with a cylinder lock and key set or accepts an optional padlock;
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight;
- Shelve adjust on 3" (76-mm) centers for versatile storage;
- Cabinets also feature a leakproof 2" bottom sump, four adjustable self-leveling feet, grounding connector and trilingual warning label;
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.