SAQ032

22 gal.- Slimline Flammable Safety Cabinet



Reg. Prix sur demande

PRODUCT DESCRIPTION

Door Type: Manual
Capacity: 22 gal.
Width: 23.25"
Depth: 18"
Height: 65"
No. Of Doors: 1
No. Of Shelves: 3
Standard(s) Met: FM/NFPA/OSHA
Material: Steel
Colour: Yellow
Weight: 176 lbs.

- Use alone or alongside larger cabinets for expanded storage when floor space is limited
- Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets
- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- For added security, U-Loc ™ handle comes with a cylinder lock and key set or accepts an optional

padlock
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight
- Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump and they adjust on 3" centers for versatile storage
- Cabinets also feature dual vents with flame arresters, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Manual-close door opens to a full 180 degrees and self-latches when pushed closed

Category: Flammable Storage Cabinet

PRODUCT DESCRIPTION

Door Type: Manual
Capacity: 22 gal.
Width: 23.25"
Depth: 18"
Height: 65"
No. Of Doors: 1
No. Of Shelves: 3
Standard(s) Met: FM/NFPA/OSHA
Material: Steel
Colour: Yellow
Weight: 176 lbs.

- Use alone or alongside larger cabinets for expanded storage when floor space is limited
- Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets
- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- For added security, U-Loc ™ handle comes with a cylinder lock and key set or accepts an optional padlock
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight
- Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump and they adjust on 3" centers for versatile storage
- Cabinets also feature dual vents with flame arresters, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Manual-close door opens to a full 180 degrees and self-latches when pushed closed